


Special tips for individual treatments




The tailor-made tip portfolio offers individualised treatment and unrivalled precision, ensuring safe and efficient surgical procedures with optimum results. Developed in close cooperation with experts, the tip range offers practical solutions – perfect for the requirements of everyday medical practice. The tips are available as both sterilizable reusable and sterile disposable tips (version S).




Minimally invasive, maximally impressive

The piezo technology of the Piezomed Pro enables precision bone cutting. In combination with the Amadeo surgical motor, the W&H Med Console offers control and minimises trauma.





Handpiece

The ergonomic Piezomed Pro handpiece offers easy access and effective cooling.





Instrument changer

Durable and robust: The high-quality torque wrench enables quick and easy instrument changing at the appropriate torque.



Dual coolant outlets

Precise cooling at critical points reduces the risk of overheating while protecting bone and soft tissue.



Orientation help

The solid line shows the smooth side, the dashed line the saw side. This is an ideal orientation help when using the instrument without a direct view.




Efficient cooling

The spray is released directly onto the operating site and provides targeted cooling exactly where it is needed.

Instruments

MP1 (REF 30502000)

MP1-S (REF 30503000)




Diamond-coated short piezo tip for applying perforations in the area of the dorsum or septum.

| Total length 35 mm
| Length of the working part 6mm

MR3 (REF 30502003)

MR3-S (REF 30503003)




Rasp for removing and grinding bone/cartilage on the dorsum.

| Total length 40 mm
| Length of the working part 4.9 mm

MR1 (REF 30502001)

MR1-S (REF 30503001)




Piezo rasp with diamond coating for removing the dorsal hump.

| Total length 35 mm
| Length of the working part 4.2mm

MR4 (REF 30502004)

MR4-S (REF 30503004)




Piezo scraper for removing and grinding bone/cartilage on the dorsum.

| Total length 33 mm

MR2 (REF 30502002)

MR2-S (REF 30503002)



Diamond-coated, straight piezo rasp for removing and grinding bone/cartilage on the dorsum.

| Total length 38 mm
| Length of the working part 4.2mm

MR5 (REF 30502005)

MR5-S (REF 30503005)




Instrument with diamond-coated ball for fine preparation of bones.

| Total length 36 mm
| ø 2 mm

Instruments

MR6 (REF 30502006)

MR6-S (REF 30503006)




Long, angled piezo instrument for tunnelling and removing the periosteum from the lateral nasal bone.

- | Total length 68 mm
- | Length of the working part 9 mm

MS2 (REF 30502009)

MS2-S (REF 30503009)




Universal straight piezo saw for all types of bone processing, e.g. radix osteotomy.

- | Total length 52 mm
- | Length of the working part 9 mm

MS1 (REF 30502007)

MS1-S (REF 30503007)



Universal, thin piezo saw for a wide variety of bone procedures.


- | Total length 42 mm
- | Length of the working part 14 mm

MS2G (REF 30502010)

MS2G-S (REF 30503010)



Design by Dr Abdülkadir Göksel




Long, straight piezo saw with dual coolant outlets for general osteotomies in the nasal bone, especially the radix osteotomy.

- | Total length 55 mm
- | Length of the working part 24 mm

MS1K (REF 30502008)

MS1K-S (REF 30503008)




Long, specially curved, one-sided piezo saw, e.g. for subdorsal septum resection.

- | Total length 42 mm
- | Length of the working part 14 mm

MS3R (REF 30502011)

MS3R-S (REF 30503011)




Piezo saw for lateral osteotomy with minimal bone loss.

- | Total length 37 mm
- | Length of the working part 4 mm

Instruments

MS3L (REF 30502012)

MS3L-S (REF 30503012)




Piezo saw for lateral osteotomy with minimal bone loss.

- | Total length 37 mm
- | Length of the working part 4 mm

MS5 (REF 30502015)

MS5-S (REF 30503015)




Universal, short and narrow piezo saw for general bone processing.

- | Total length 33 mm
- | Length of the working part 16 mm

MS4R (REF 30502013)

MS4R-S (REF 30503013)



Piezo saw for horizontal saw cutting with minimal bone loss in hard-to-access areas.

- | Total length 34 mm
- | Length of the working part 4 mm

MS6 (REF 30502016)

MS6-S (REF 30503016)




Universal, short piezo saw for general bone processing.

- | Total length 35 mm
- | Length of the working part 12 mm

MS4L (REF 30502014)

MS4L-S (REF 30503014)




Piezo saw for horizontal saw cutting with minimal bone loss in hard-to-access areas.

- | Total length 34 mm
- | Length of the working part 4 mm

MS7 (REF 30502017)

MS7-S (REF 30503017)



Long, straight, one-sided piezo saw with dual coolant outlets for lateral osteotomy.

- | Total length 55 mm
- | Length of the working part 24 mm




Design by Dr Philipp Mayr

Instruments

MS8 (REF 30502018)

MS8-S (REF 30503018)




Long, thin, angled piezo saw for deep osteotomies in the jaw area.

- | Total length 59 mm
- | Length of the working part 30 mm

MS10L (REF 30502021)

MS10L-S (REF 30503021)




Long, angled piezo saw for hard-to-access areas, especially in the jaw area.

- | Total length 58 mm
- | Length of the working part 7 mm

MS9 (REF 30502019)

MS9-S (REF 30503019)




Long, thin, angled piezo saw for deep osteotomies in the jaw area.

- | Total length 47 mm
- | Length of the working part 19 mm

MS11 (REF 30502022)

MS11-S (REF 30503022)




Long, one-sided, angled piezo saw for various types of bone processing, e.g. on the septum.

- | Total length 55 mm
- | Length of the working part 20 mm

MS10R (REF 30502020)

MS10R-S (REF 30503020)




Long, angled piezo saw for hard-to-access areas, especially in the jaw area.

- | Total length 58 mm
- | Length of the working part 7 mm

MS12 (REF 30502023)

MS12-S (REF 30503023)



Long, one-sided piezo saw with double bend and dual coolant outlets for all kinds of work on the septum/septum base.

- | Total length 67 mm
- | Length of the working part 13 mm



Our tip sets* at a glance



Rhino Basic (REF 90000410)

Instrument kit for the open rhinoplasty approach MP1, MR1, MS2, MS3R, MS3L, MS5

Rhino Advanced (REF 90000411)

Instrument kit for the closed rhinoplasty approach MR2, MR6, MS1K, MS2G, MS7, MS12



CMF (REF 90000412)

Instrument kit for craniomaxillofacial surgical interventions MS1, MS4R, MS4L, MS6, MS8, MS9



* Only available with reusable tips.

Distribution:

W&H Dentalwerk Bürmoos GmbH
Ignaz-Glaser-Straße 53, Postfach 1
5111 Bürmoos, **Austria**
t +43 6274 6236-0
f +43 6274 6236-55
office@wh.com
med.wh.com